




MianKang Bearing Co., Ltd.



35 mm x 72 mm x 17 mm nsk 6207 bearing

Bearing No. 6207

| | |
|-------------------------------|--------------------------|
| Size | 35x72x17 mm |
| Bore Diameter | 35 mm |
| Outer Diameter | 72 mm |
| Width | 17 mm |
| d | 35 mm |
| D | 72 mm |
| B | 17 mm |
| C | 17 mm |
| r min. | 1,1 mm |
| da min. | 41,5 mm |
| da max | 44,5 mm |
| Da max. | 65,5 mm |
| ra max. | 1 mm |
| Weight | 0,284 Kg |
| Basic dynamic load rating (C) | 25,7 kN |
| Basic static load rating (C0) | 15,3 kN |
| (Grease) Lubrication Speed | 9 500 r/min |
| (Oil) Lubrication Speed | 11 000 r/min |
| Category | Single Row Ball Bearings |
| Inventory | 0.0 |
| Manufacturer Name | NSK |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0.284 |
| EAN | 0029176014604 |
| Product Group | B00308 |
| Enclosure | Open |

6207 Bearing 2D drawings and 3D CAD models



MianKang Bearing Co., Ltd.

| | |
|---------------------------------|--|
| Precision Class | ABEC 1 ISO P0 |
| Maximum Capacity / Filling Slot | No |
| Rolling Element | Ball Bearing |
| Snap Ring | No |
| Internal Special Features | No |
| Cage Material | Steel |
| Internal Clearance | C0-Medium |
| Inch - Metric | Metric |
| Long Description | 35MM Bore; 72MM Outside Diameter; 17MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features |
| Category | Single Row Ball Bearing |
| UNSPSC | 31171504 |
| Harmonized Tariff Code | 8482.10.50.68 |
| Noun | Bearing |
| Keyword String | Ball |
| Manufacturer URL | http://www.nskamericas.com |
| Manufacturer Item Number | 6207 |
| Weight / LBS | 0.634 |
| Bore | 1.378 Inch 35 Millimeter |
| Outside Diameter | 2.835 Inch 72 Millimeter |
| Outer Race Width | 0.669 Inch 17 Millimeter |
| SRI | 5.61 |
| hidYobi | 6207 |
| LangID | 1 |
| D_ | 72 |
| SREX | 0.05 |
| B_ | 17 |
| | |



MianKang Bearing Co., Ltd.

| | |
|------------|-------------|
| da min | 41.5 |
| hidTable | ecat_NSRDGB |
| Oil rpm | 11000 |
| SRE | 5.89 |
| mass | 0.284 |
| GRS rpm | 9500 |
| ra | 1 |
| SRIX | 0.025 |
| D_a | 65.5 |
| SRIN | 0 |
| C0 | 15.3 |
| fo | 13.8 |
| SREN | 0 |
| DE_ | 64.612 |
| Prod_Type3 | DGBB_SR_OT |
| DA_ | 11.112 |
| bomp | 0 |
| Z_ | 9 |
| yobi | 6207 |
| C_conv | 25700 |
| ALPHA_ | 0 |
| SDM_ | 53.5 |
| r | 1.1 |
| KBRG | 6101 |
| SBRG | 2 |
| DI_ | 42.388 |