



MianKang Bearing Co., Ltd.



6217 Bearing 2D drawings and 3D CAD models

skf 6217 bearing

Bearing No. 6217

Size	150x85x28 mm
Bore Diameter	150 mm
Outer Diameter	85 mm
Width	28 mm
d	85 mm
D	150 mm
B	28 mm
d ₁	106.05 mm
D ₂	134.3 mm
r _{1,2} - min.	2 mm
d _a - min.	96 mm
D _a - max.	139 mm
r _a - max.	2 mm
Basic dynamic load rating - C	87.1 kN
Basic static load rating - C ₀	64 kN
Fatigue load limit - P _u	2.5 kN
Reference speed	9000 r/min
Limiting speed	5600 r/min
Calculation factor - k _r	0.025
Calculation factor - f ₀	14.7
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	1.86



MianKang Bearing Co., Ltd.

EAN	7316577302823
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	85MM Bore; 150MM Outside Diameter; 28MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	6217
Weight / LBS	4.09
Bore	3.346 Inch 85 Millimeter
Outer Race Width	1.102 Inch 28 Millimeter
Outside Diameter	5.906 Inch 150 Millimeter
bore diameter:	85 mm
static load capacity:	64 kN
outside diameter:	150 mm
precision rating:	Not Rated



MianKang Bearing Co., Ltd.

overall width:	28 mm
finish/coating:	Uncoated
bore type:	Round
cage material:	Steel
closure type:	Open
outer ring width:	28 mm
row type & fill slot:	Single Row Non-Fill Slot
fillet radius:	2 mm
snap ring included:	Without Snap Ring
maximum rpm:	5600 RPM
internal clearance:	C0
series:	62
dynamic load capacity:	87.1 kN
d_1	106.05 mm
D_2	134.3 mm
$r_{1,2}$ min.	2 mm
d_a min.	96 mm
D_a max.	139 mm
r_a max.	2 mm
Basic dynamic load rating C	87.1 kN
Basic static load rating C_0	64 kN
Fatigue load limit P_u	2.5 kN
Calculation factor k_r	0.025
Calculation factor f_0	14.7
Mass bearing	1.8 kg